# FILE CIIP

# enkens & Gilchrist

225 WEST WASHINGTON **SUITE 2600** CHICAGO, ILLINOIS 60606

AUSTIN, TEXAS Dallas, Texas

FROM THE DESK OF: Daniel J. Burnham

> (312) 425-3900 TELECOPIER (312) 425-3909

HOUSTON, TEXAS LOS ANGELES, CALIFORNIA SAN ANTONIO, TEXAS WASHINGTON, D.C.

www.jenkens.com

RECIPIENT

1.

**COMPANY** 

FAX NO.

PHONE No.

Customer Service Center Office of Initial Patent Examination

U.S. Patent and Trademark Office

(703) 308-7751 (703) 308-2840

### · MESSAGE ·

## U.S. Application No. 09/634,082, filed August 8, 2000

Attached is a copy of the Filing Receipt. There is an error with respect to the following data, which is incorrectly entered.

**Error** 

### Correct Data

Correspondence address "Jenkins" should be "Jenkens."

The above error has been circled on the Filing Receipt, and issuance of a Corrected Filing Receipt is requested. As the correction is not due to any error by the Applicant, it is believed that no fee is due.

## NOTICE OF CONFIDENTIALITY

The information contained in and transmitted with this facsimile is

- 1. SUBJECT TO THE ATTORNEY-CLIENT PRIVILEGE;
- 2. ATTORNEY WORK PRODUCT; OR
- 3. CONFIDENTIAL.

It is intended only for the individual or entity designated above. You are hereby notified that any dissemination, distribution, copying, or use of or reliance upon the information contained in and transmitted with this facsimile by or to anyone other than the recipient designated above by the sender is unauthorized and strictly prohibited. If you have received this facsimile in error, please notify Jenkens & Gilchrist, a professional corporation, by telephone at (312) 425-3900 immediately. Any facsimile erroneously transmitted to you should be immediately returned to the sender by U.S. Mail, or if authorization is granted by the sender, destroyed.

Time: 2:15 PM

Date: October 13, 2000

Emp. #: 4231

Billing #: 47168-


00068USC1

Total Pages (+ Cover): 2

CHICAGO 137482v1 47168-00068USC1







Page 1 of



### United States Patent and Trademark Office

COMMISSIONER FOR PATEMIS United States Patent and Trademark Office WASHINGTON, D.C. 2023 www.uspto.gov

APPLICATION NUMBER	FILING DATE	GRP ART UNIT	FIL FEE REC'D	ATTY.DOCKET.NO	DRAWINGS	TOT CLAIMS	IND CLAIMS	
09/634,082	08/08/2000	3731	876	47168-	9	26	4	

Dantel J. Bumham **NEANS** JENKING & GILCHRIST 1445 Ross Avenue Suite 3200 Dallas, TX 75202-2799

HITELLECTUAL PROPERTY

OCT 0 2 2000

JERALNS & DIECHNIST

**FILING RECEIPT** 

Date Mailed: 09/28/2000

Receipt is acknowledged of this nonprovisional Patent Application. It will be considered in its order and you will be notified as to the results of the examination. Be sure to provide the U.S. APPLICATION NUMBER, FILING DATE, NAME OF APPLICANT, and TITLE OF INVENTION when inquiring about this application. Fees transmitted by check or draft are subject to collection. Please verify the accuracy of the data presented on this receipt. If an error is noted on this Filing Receipt, please write to the Office of Initial Patent Examination's Customer Service Center. Please provide a copy of this Filing Receipt with the changes noted thereon. If you received a "Notice to File Missing Parts" for this application, please submit any corrections to this Filing Receipt with your reply to the Notice. When the PTO processes the reply to the Notice, the PTO will generate another Filing Receipt incorporating the requested corrections (if appropriate).

Applicant(s)

Keith D. Beaty, Jupiter, FL;

Continuing Data as Claimed by Applicant

THIS APPLICATION IS A CON OF 09/232,362 01/15/1999 WHICH CLAIMS BENEFIT OF 60/022,148 07/18/1996

Foreign Applications

PCT/US97/12512 07/17/1997

If Required, Foreign Filing License Granted 09/27/2000

Action Completopais: 10-2
Hissue Power-driven osteotome tools for compaction of bone tissue

**Preliminary Class** 

Title

606

Data entry by : DOUGLAS, BRIDGETTE

Team: OIPE

Date: 09/28/2000

: IN COLD THE CORRESON AND RECOLOUR CONTROL CONTROL OF THE CORRESON AND COMPANY AND A CONTROL CONTROL OF THE CORRESON AND CONTROL CONTROL OF THE CORRESON AND CONTROL CONTROL OF THE CORRESON AND CONTROL CONT